

aur6

VIVA
MADE



aur6

PENSARE CON LE MANI
THINKING WITH YOUR HANDS

Direte che parlare delle mani, anzi celebrarle come l'utensile primario di noi artigiani, non c'entra con una nuova serie di piastrelle, che per di più abbiamo voluto chiamare "AURA". Invece l'abbiamo veramente "pensata con le mani", come raccomandava nel 1935 il filosofo Denis de Rougemont, e vi invitiamo a toccare la superficie, ad accarezzare la struttura. Con le vostre mani capirete come le nostre idee abbiano acquistato un peso, un legame terreno, che ha evitato loro di allontanarsi dalla concretezza, di cui tutti abbiamo un gran bisogno, soprattutto di questi tempi.

You will say that talking about hands, and celebrating their role as the main tool of us craftsmen, has nothing to do with a new collection of tiles, especially one we have chosen to call "AURA".

But we have really "thought with our hands" when creating this collection, following the advice given back in 1935 by the philosopher Denis de Rougemont, and we urge you to touch the surface and caress its structure.

With your hands, you will understand how my ideas acquired weight, a link to the earth, which kept them firmly connected to reality – something we all greatly need, these days in particular.



aura marrone
60x60



aura beige

60x60



aura nero
60x60





aura bianco

60x60



aura bianco





805T6R
Aura Marrone Rett.
80x80_31¹/₂"x31¹/₂"

80



485T6R
Aura Marrone Rett.
40x80_15³/₄"x31¹/₂"

80



9R5T6R
Aura Marrone Rett.
60x60_23⁵/₈"x23⁵/₈"

64



9N5T6R
Aura Marrone Rett.
30x60_11¹³/₁₆"x23⁵/₈"

64



9S5T6R
Aura Marrone Rett.
15x60_5⁷/₈"x23⁵/₈"

78



9B5T6R
Aura Marrone Rett.
10x60_3¹⁵/₁₆"x23⁵/₈"

78



9E5T6R
Aura Marrone Rett.
5x60_1¹⁵/₁₆"x23⁵/₈"

78

9R5T6RZ
Aura Marrone Antiscivolo
60x60_23⁵/₈"x23⁵/₈"

64

9N5T6RZ
Aura Marrone Antiscivolo
30x60_11¹³/₁₆"x23⁵/₈"

61

Pezzi speciali - Trims



BATT162
Batt. Aura Marrone Rett.
8x60_3¹/₈"x23⁵/₈"

20



805T1R
Aura Beige Rett.
80x80_31¹/₂"x31¹/₂"

80



485T1R
Aura Beige Rett.
40x80_15³/₄"x31¹/₂"

80



9R5T1R
Aura Beige Rett.
60x60_23⁵/₈"x23⁵/₈"

64



9N5T1R
Aura Beige Rett.
30x60_11¹³/₁₆"x23⁵/₈"

64



9S5T1R
Aura Beige Rett.
15x60_5⁷/₈"x23⁵/₈"

78



9B5T1R
Aura Beige Rett.
10x60_3¹⁵/₁₆"x23⁵/₈"

78



9E5T1R
Aura Beige Rett.
5x60_1¹⁵/₁₆"x23⁵/₈"

78


9R5T1RZ
Aura Beige Antiscivolo
60x60_23⁵/₈"x23⁵/₈"

64

9N5T1RZ
Aura Beige Antiscivolo
30x60_11¹³/₁₆"x23⁵/₈"

61

Pezzi speciali - Trims



BATT161
Batt. Aura Beige Rett.
8x60_3¹/₈"x23⁵/₈"

20

aura marrone



aura beige





805T9R
Aura Nero Rett.
80x80_31¹/₂"x31¹/₂"

80



485T9R
Aura Nero Rett.
40x80_15³/₄"x31¹/₂"

80



9R5T9R
Aura Nero Rett.
60x60_23⁵/₈"x23⁵/₈"

64



9N5T9R
Aura Nero Rett.
30x60_11¹³/₁₆"x23⁵/₈"

64



9S5T9R
Aura Nero Rett.
15x60_5⁷/₈"x23⁵/₈"

78



9B5T9R
Aura Nero Rett.
10x60_3¹⁵/₁₆"x23⁵/₈"

78



9E5T9R
Aura Nero Rett.
5x60_1¹⁵/₁₆"x23⁵/₈"

78

9R5T9RZ
Aura Nero Antiscivolo
60x60_23⁵/₈"x23⁵/₈"

64

9N5T9RZ
Aura Nero Antiscivolo
30x60_11¹³/₁₆"x23⁵/₈"

61

Pezzi speciali - Trims



BATT163
Batt. Aura Nero Rett.
8x60_3¹/₈"x23⁵/₈"

20



805T0R
Aura Bianco Rett.
80x80_31¹/₂"x31¹/₂"

80



485T0R
Aura Bianco Rett.
40x80_15³/₄"x31¹/₂"

80



9R5T0R
Aura Bianco Rett.
60x60_23⁵/₈"x23⁵/₈"

64



9N5T0R
Aura Bianco Rett.
30x60_11¹³/₁₆"x23⁵/₈"

64



9S5T0R
Aura Bianco Rett.
15x60_5⁷/₈"x23⁵/₈"

78



9B5T0R
Aura Bianco Rett.
10x60_3¹⁵/₁₆"x23⁵/₈"

78



9E5T0R
Aura Bianco Rett.
5x60_1¹⁵/₁₆"x23⁵/₈"

78

9R5T0RZ
Aura Bianco Antiscivolo
60x60_23⁵/₈"x23⁵/₈"

64

9N5T0RZ
Aura Bianco Antiscivolo
30x60_11¹³/₁₆"x23⁵/₈"

61

Pezzi speciali - Trims



BATT160
Batt. Aura Bianco Rett.
8x60_3¹/₈"x23⁵/₈"

20

aura nero



aura bianco







CR1712
Karma Marrone Rett.
60x60_23^{5/8} x 23^{5/8}" 60



CR1717
Karma Marrone Rett.
30x60_11^{13/16} x 23^{5/8}" 53



CR1722
Karma Marrone Rett.
15x60_5^{7/8} x 23^{5/8}" 53



QFM702
Chakra Marrone Rett.
60x60_23^{5/8} x 23^{5/8}" 85



CR1711
Karma Beige Rett.
60x60_23^{5/8} x 23^{5/8}" 60



CR1716
Karma Beige Rett.
30x60_11^{13/16} x 23^{5/8}" 53



CR1721
Karma Beige Rett.
15x60_5^{7/8} x 23^{5/8}" 53



QFM701
Chakra Beige Rett.
60x60_23^{5/8} x 23^{5/8}" 85




CR1713
Karma Nero Rett.
60x60_23^{5/8} x 23^{5/8}" 60



CR1718
Karma Nero Rett.
30x60_11^{13/16} x 23^{5/8}" 53



CR1723
Karma Nero Rett.
15x60_5^{7/8} x 23^{5/8}" 53



QFM703
Chakra Nero Rett.
60x60_23^{5/8} x 23^{5/8}" 85



CR1710
Karma Bianco Rett.
60x60_23^{5/8} x 23^{5/8}" 60



CR1715
Karma Bianco Rett.
30x60_11^{13/16} x 23^{5/8}" 53



CR1720
Karma Bianco Rett.
15x60_5^{7/8} x 23^{5/8}" 53



QFM700
Chakra Bianco Rett.
60x60_23^{5/8} x 23^{5/8}" 85

QFT714
Iride Vetro
ø 1,5_ø 9/16" 3

QFT710
Iride Blu
ø 1,5_ø 9/16" 2

QFT711
Iride Viola
ø 1,5_ø 9/16" 2

QFT713
Iride Verde
ø 1,5_ø 9/16" 2

QFT712
Iride Giallo
ø 1,5_ø 9/16" 2

aur6

Dry - Pressed Ceramic Tiles ISO 13006 : 2012 Annex G - UNI EN 14411 : 2012 Annex G - Bla GL




CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Norma	VALORI Value - Valeur Vorgabe - Valor - Средние
PLANARITÀ Flatness - Planéité - Ebenflächigkeit - Planiyud - Плоскостность	UNI EN ISO 10545/2	± 0,26% / ± 1,5mm
	ASTM C485 Warpage	-
	Calibrated ± 0,75% (max ± 0,09 in)	-
ASSORBIMENTO D'ACQUA - Valore medio in % Water absorption - Average value expressed in % Absorption d'eau - Valeur moyenne en % Wasseraufnahme - Durchschnittswert in % Absorción de agua - Valor medio en % - Поглощение воды	UNI EN ISO 10545/3 ≤ 0,5 % ASTM C373	Conforme Compliant
	RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб	UNI EN ISO 10545/4
FORZA DI ROTTURA Breaking strength - Résistance à la rupture Bruchlast - Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 700 LBS
	RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026
RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	GA - GLA Unaffected
	RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14 CTI 81-7D
COEFFICIENTE DI ATTRITO Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich Coeficiente de atrito medio - Коэффициент трения	N 51130 DIN 51097 ANSI A 137.1 - 2012 DCOF (Section 9.6) B.C.R.A.	NATURALE R10 A Dry:0,66*/Wet:0,62* ANTISCIVOLO R11 B (A+B) Dry:0,71*/Wet:0,69* ≥ 0,40 ≥ 0,40

* Values obtained with certificate n° 20130088. Date 04/02/2013.

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultteriores informaciones sobre los datos tecnicos y la garantía, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.

Only for 30x60



IMBALLI E PESI Packing and weight - Emballages et poids - Verpackung und gewicht - Embalajes y pesos - УПАКОВКА И ВЕС

Articolo Item Reference Artikel Articulo Артикула	Formato (cm) Size (cm) Format (cm) Format (cm) Формат (cm)	Spessore (mm) Thickness (mm) Epaisseur (mm) Stärke (mm) Espesor (mm) Толщина (mm)	Pz. x Mq. Pieces x Sqm Pcs / M ² Stk. x Qm Pzs x Mc. Шт. x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Кв.М. x Кор.	Mq. x Scat. Sqm x Box M ² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. (Kg) Weight x Box (Kg) Poids / Bte (Kg) Gewicht x Krt. (Kg) Peso x Caja (Kg) Вес x Кор. (Kg)	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M ² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal.(Kg) Weight x Pal. (Kg) Poids / Pal. (Kg) Gewicht x Pal. (Kg) Peso x Pal. (Kg) Вес x Подд (Kg)
805T_R	80x80	10,5	1,56	2	1,280	32,00	40	51,20	1280
485T_R	40x80	10,5	3,13	3	0,960	24,00	28	26,88	672
9R5T_R	60x60	10,5	2,78	3	1,080	25,00	36	38,88	900
9R5T_RZ	60x60	10,5	2,78	3	1,080	25,00	36	38,88	900
9N5T_R	30x60	10,5	5,56	6	1,080	25,00	40	43,20	1000
9R5T_RZ	30x60	10,5	5,56	6	1,080	25,00	40	43,20	1000
9S5T_R	15x60	10,5	11,11	12	1,080	25,00	50	54,00	1250
9B5T_R	10x60	10,5	16,67	12	0,720	16,70	60	43,20	1002
9E5T_R	5x60	10,5	33,33	24	0,720	16,70	60	43,20	1002



a brand of EMILCERAMICA S.p.A.





**VIVA
MADE**

a brand of EMILCERAMICA S.p.A.
Sede amministrativa/commerciale:
Via Ghiarola Nuova, 29/33
41042 Fiorano Modenese (MO) Italy
Tel. +39 0536 998701 - Fax +39 0536 998702
info@emilceramicagroup.it - www.cerviva.it

